

56. *A. tracheliifolia* Pax et K. Hoffm. n. spec. — Perennis; caulis herbaceus, arcuato-adscendens, visus simplex, brevissime tomentellus et pilis patentibus hirsutus, dissite glandulosus. Petiolus 2 — 4 cm longus, hirsutus, gracilis; limbus 8 — 9 cm longus, 3 — 3 1/2 cm latus, ovato-lanceolatus, sensim acuminatus, basi cordatus, grosse serratus, tenuiter membranaceus, in costis pilis adpressis $\pm$ hirtus, basi 5-nervius; nervi basales 2 longe ultra medium adscendentes; stipulae 5 — 8 mm longae, filiformes, persistentes, patentes. Flores monoici. Spicae ♂ axillares, cum pedunculo brevi 3 — 4 cm longae, 4 mm latae, densiflorae, ♀ terminalis, 5 cm fere longa, densibracteata; bracteae valde juveniles 4 mm longae, uniflorae, pilosae et stipitato-glandulosae, fere ad basin 7-, rarius 9-lacinulatae, lobis linearibus, scabris. Sepala ♀ late ovata, acuta, breviter ciliata; ovarium apice hirtum; styli 3 — 4 mm longi, tota longitudine circ. 45-laciniati.

Südbrasilianische Provinz: Argentinien, Buenos Aires (Tweedie!).